



Philips Respironics
1740 Golden Mile Highway
Monroeville, PA 15146

June 8, 2015

Re: Declaration for Trilogy, BiPAP A40, CoughAssist E70 Lithium-Ion Batteries

To whom it may concern:

We hereby certify that the Lithium-ion Batteries used in the products specified below comply with the following requirement identified in the IATA Lithium Battery Guidance Document which is based on the provisions set out in the 2015-2016 Edition of ICAO Technical Instruction for the Safe Transport of Dangerous Goods by Air and the 56th Edition of the IATA Dangerous Goods Regulations (DGR):

Product	Detachable Battery	Internal Battery
Trilogy 100	x	x
Trilogy 200	x	x
Trilogy 202	x	x
BiPAP A40	x	
CoughAssist E70	x	

2.3.4.7 Lithium Battery-Powered Electronic Devices

Lithium battery-powered electronic devices are permitted in checked and carry-on baggage with the approval of the operator as follows:

(a) Portable medical electronic devices (Automated External Defibrillators (AED), Nebulizer, Continuous Positive Airway Pressure (CPAP), etc.) containing lithium metal or lithium ion cells or batteries may be carried by passengers for medical use as follows:

3. Batteries must be of a type that meets the requirements of the UN Manual of Tests and Criteria, Part III, subsection 38.3.

The Lithium-ion batteries used in the products listed above have a Watt Hour rating of 66Wh or 71Wh. These Lithium-ion batteries have successfully passed the test procedures of Part III, Sub-Section 38.3 of the UN Manual of Tests and Criteria.

Before you fly, contact all of your airlines on each of your connecting flights for clarification as to what can be transported via Carry-on and Checked Baggage. Airlines have different policies and it is recommended to request permission to carry your device on board.

This package must be handled with care. The cell/battery is completely enclosed by inner packaging to prevent short circuit. A flammability hazard may exist if the package becomes damaged. Do not damage or mishandle this package. If package is damaged, batteries must be quarantined, inspected and repacked.

In case of incident, accident and/or damage please follow the steps listed in the Material Safety Data Sheet for Transportation, First Aid, General Safety Recommendations and Fire Safety.

For more information, please refer to either the products User Instruction Manual for more detailed information regarding the set-up, performance parameters, technical specifications and maintenance of the device and batteries.

Please feel free to contact me at 724-387-4870 for more information regarding the products listed above and lithium-ion batteries.

Sincerely,



Colleen L. Witt
Manager - HRC Regulatory Affairs